



XTR C60 Racing 39.67 10W60

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830
Date of issue: 6/1/2017 Revision date: 10/19/2018 Supersedes: 6/1/2017 Version: 1.1

*** DRAFT ***

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Name : XTR C60 Racing 39.67 10W60
Product code : 32703
Article number : 327039

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Professional use.
Function or use category : other engine, gear and lubricating oils

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

BARDAHL NL - OCD NEDERLAND BV
Maxwellstraat 41
3316 GP Dordrecht - Nederland
T 0031 78 651 2322 - F 0031 78 617 4848
rjionker@bardahl.nl - www.bardahl.nl

1.4. Emergency telephone number

Emergency number : +31 (0) 6 2908 2010
During office hours: 8.30 t/m 17:00 h

Country	Official advisory body	Address	Emergency number	Comment
	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	0870 243 2241	
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Israel	Israel Poison Information Center Rambam Health Care Campus	6 Ha'Aliya Street 31096 Haifa	+972 4 854 1900	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital MSD Msida	+356 2545 6504	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA Belfast	0344 892 0111	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, Category 2 H319
Hazardous to the aquatic environment — Chronic Hazard, Category 3 H412
Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

XTR C60 Racing 39.67 10W60

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

*** DRAFT ***

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

Signal word (CLP) :

Warning

Hazardous ingredients :

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, Baseoil - unspecified.; Mineral Oil

Hazard statements (CLP) :

H319 - Causes serious eye irritation.
H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) :

P264 - Wash hands thoroughly after handling.
P273 - Avoid release to the environment.
P280 - Wear eye protection, protective gloves, face protection.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P501 - Dispose of contents/container in accordance with local regulations.
P101 - If medical advice is needed, have product container or label at hand.
P102 - Keep out of reach of children.

2.3. Other hazards

PBT: not relevant – no registration required

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, Baseoil - unspecified. (Note L)	(CAS-No.) 72623-87-1 (EC-No.) 276-38-4 (EC Index-No.) 649-483-00-5	5 - 6	Carc. 1B, H350
Mineral Oil (Note L)	(CAS-No.) - (EC-No.) -	4 - 4.5	Carc. 1B, H350
Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts	(CAS-No.) 84605-29-8 (EC-No.) 283-392-8 (REACH-no) 01-2119493626-26	1 - 1.5	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Bis(nonylphenyl)amine	(CAS-No.) 36878-20-3 (EC-No.) 253-249-4 (REACH-no) 01-2119488911-28	1 - 1.5	Aquatic Chronic 4, H413
phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched	(CAS-No.) 121158-58-5 (EC-No.) 310-154-3 (EC Index-No.) 604-092-00-9 (REACH-no) 01-2119513207-49	0.1 - 0.15	Repr. 1B, H360F Skin Corr. 1C, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)
2,6-DI-TERT-BUTYLPHENOL	(CAS-No.) 128-39-2 (EC-No.) 204-884-0 (REACH-no) 01-2119490822-33	0.1 - 0.15	Skin Irrit. 2, H315 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
diphenylamine	(CAS-No.) 122-39-4 (EC-No.) 204-539-4 (EC Index-No.) 612-026-00-5	0.1 - 0.15	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Note L : The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3.

Full text of H-statements: see section 16

XTR C60 Racing 39.67 10W60

Safety Data Sheet

*** DRAFT ***

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	: Assure fresh air breathing. If not breathing, give artificial respiration. Get immediate medical advice/attention.
First-aid measures after skin contact	: Take off contaminated clothing. Rinse skin with water/shower. Get medical advice/attention.
First-aid measures after eye contact	: In case of contact, immediately flush eye with plenty of water for at least 30 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Ensure adequate flushing of eyes by separating eyelids with the fingers. Get medical advice/attention.
First-aid measures after ingestion	: Do not induce vomiting, unless told so by a poison control center or doctor. Drink plenty of water. Get immediate medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Unknown.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Carbon dioxide. Foam. Powder. Water spray.
Unsuitable extinguishing media	: None, to our knowledge.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Do not breathe fumes from fires or vapours from decomposition.

5.3. Advice for firefighters

Firefighting instructions	: Use water spray or fog for cooling exposed containers.
Protection during firefighting	: Standard EN 469 - Protective clothing for firefighters. Standard - EN 659: Protective gloves for firefighters. EN 137 - Self-contained open-circuit compressed air breathing apparatus with full face mask.
Other information	: Prevent fire fighting water from entering the environment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak without risks if possible.

6.1.1. For non-emergency personnel

Protective equipment : Wear suitable protective clothing and gloves.

6.1.2. For emergency responders

Protective equipment : Wear suitable protective clothing and gloves.

6.2. Environmental precautions

Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: Collect spillage. Use suitable disposal containers. Soak up with inert absorbent material (for example sand, sawdust, a universal binder, silica gel).
Other information	: Ventilate area.

6.4. Reference to other sections

See Heading 8. See Heading 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Prevent entry to sewers and public waters. Do not eat, drink or smoke when using this product. Take off immediately all contaminated clothing.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Keep in original containers. Keep the container hermetically sealed. Store in dry, cool, well-ventilated area.
Incompatible materials	: Direct sunlight.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

XTR C60 Racing 39.67 10W60

Safety Data Sheet

*** DRAFT ***

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

8.2. Exposure controls

Hand protection:

Selection of the glove material on consideration of the penetration times, permeation and degradation. Test the gloves before use. Refer to manufacturer's information.

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
					EN ISO 374
					EN ISO 374

Eye protection:

Type	Use	Characteristics	Standard
tightly fitting safety goggles			EN 166

Skin and body protection:

Wear suitable protective clothing. After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water and soap

Type	Standard
Long sleeved protective clothing, Safety toe footwear	EN ISO 20344

Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection. In case of any doubt wear a half-mask respirator according to EN 529.

Device	Filter type	Condition	Standard
Standard EN 14387 - Gas filter(s), combined filter(s) and full face mask - EN 136.	Type A		EN 14387,

Environmental exposure controls:

Prevent entry to sewers and public waters.

Other information:

Good ventilation of the workplace required. Wear suitable protective clothing. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Yellow.
Odour	: characteristic.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 195 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: Insoluble.
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

XTR C60 Racing 39.67 10W60

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

*** DRAFT ***

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

None under normal conditions.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

None under normal conditions.

10.4. Conditions to avoid

None under normal conditions.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008
Acute toxicity (dermal) : Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008
Acute toxicity (inhalation) : Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

Bis(nonylphenyl)amine (36878-20-3)

LD50 oral rat	> 5000 mg/kg OECD 401
LD50 dermal rat	> 2000 mg/kg OECD 402
Skin corrosion/irritation	: Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008
Germ cell mutagenicity	: Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008
Carcinogenicity	: Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008
Reproductive toxicity	: Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008
STOT-single exposure	: Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

Mineral Oil (-)

LOAEL (oral, rat)	> 5000 mg/kg bodyweight
LOAEL (dermal, rat/rabbit)	> 5000 mg/kg bodyweight
LOAEC (inhalation, rat, vapour)	> 5000 mg/l/4h
LOAEC (inhalation, rat, dust/mist/fume)	> 0.005 mg/l/4h

STOT-repeated exposure : Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008
Aspiration hazard : Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

SECTION 12: Ecological information

12.1. Toxicity

Acute aquatic toxicity : Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008
Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8)

LC50 fish 1	4.5 mg/l oncorhynchus mykiss
LC50 fish 2	46 mg/l cyprinodon varietagus
EC50 Daphnia 1	23 mg/l
EC50 Daphnia 2	0.8 mg/l 21d
EC50 other aquatic organisms 2	10000 mg/l 0.1d - chlorophyta
EC50 72h algae (1)	21 mg/l 3d - chlorophyta
NOEC (acute)	1.8 mg/l 4d - oncorhynchus mykiss
NOEC (chronic)	10 mg/l 2d - daphnia

XTR C60 Racing 39.67 10W60

Safety Data Sheet

*** DRAFT ***

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

NOEC chronic fish	0.4 mg/l 21d - daphnia
NOEC chronic algae	10 mg/l 3d - chlorophyta

Bis(nonylphenyl)amine (36878-20-3)

LC50 fish 1	> 100 mg/l OECD 203 (Danio rerio)
EC50 Daphnia 1	> 100 mg/l (Daphnia magna)
EC50 72h algae (1)	100 mg/l OECD 201 (Desmodesmus subspicitus)

diphenylamine (122-39-4)

LC50 fish 1	0.1 - 1 mg/l
-------------	--------------

12.2. Persistence and degradability

Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8)

Biodegradation	1.5 % 28d - OECD TG 301 B
----------------	---------------------------

Bis(nonylphenyl)amine (36878-20-3)

Biodegradation	1 % @ 28d
----------------	-----------

diphenylamine (122-39-4)

Biodegradation	26 % (Closed bottle) @28 d
----------------	----------------------------

12.3. Bioaccumulative potential

Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8)

Log Kow	0.56 measurements
---------	-------------------

Bis(nonylphenyl)amine (36878-20-3)

Log Pow	> 7.6
---------	-------

diphenylamine (122-39-4)

Log Kow	3.4 @ 0.1 d
---------	-------------

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

XTR C60 Racing 39.67 10W60

PBT: not relevant – no registration required	
Results of PBT assessment	Does not contain any PBT or vPvB greater than 0.1%

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose of this material and its container to hazardous or special waste collection point. Dispose in a safe manner in accordance with local/national regulations.

Additional information : Reuse packaging if this is possible.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

XTR C60 Racing 39.67 10W60

Safety Data Sheet

*** DRAFT ***

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.3. Transport hazard class(es)

Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
----------------	----------------	----------------	----------------	----------------

14.4. Packing group

Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
----------------	----------------	----------------	----------------	----------------

14.5. Environmental hazards

Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
----------------	----------------	----------------	----------------	----------------

No supplementary information available

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Substances subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals: 1,1-Dichloroethene (-), Diphenylamine (122-39-4).

Contains substance(s) subject to Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC: Tetrabromodiphenyl ether (-).

15.1.2. National regulations

Germany

Reference to AwSV

: Water hazard class (WGK) 3, Highly hazardous to water (Classification according to AwSV, Annex 1)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV

: Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen

: Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts, phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched are listed

SZW-lijst van mutagene stoffen

: Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts, phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding

: None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid

: None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling

: phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched is listed

Denmark

Danish National Regulations

: Pregnant/breastfeeding women working with the product must not be in direct contact with the product

The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

XTR C60 Racing 39.67 10W60

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

*** DRAFT ***

15.2. Chemical safety assessment

No

SECTION 16: Other information

Indication of changes:

Section	Changed item	Change	Comments
1.1	Article number	Removed	
2.2	Precautionary statements (CLP)	Modified	
4.2	Symptoms/effects	Modified	

Abbreviations and acronyms:

Abbreviations and acronyms:

RID: Regulations Concerning the International Transport of Dangerous Goods by Rail
ICAO: International Civil Aviation Organization
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent

Full text of H- and EUH-statements:

Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 4	Hazardous to the aquatic environment — Chronic Hazard, Category 4
Carc. 1B	Carcinogenicity, Category 1B
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Repr. 1B	Reproductive toxicity, Category 1B
Skin Corr. 1C	Skin corrosion/irritation, Category 1C
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H350	May cause cancer.
H360F	May damage fertility.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

XTR C60 Racing 39.67 10W60

Safety Data Sheet

*** DRAFT ***

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product